

MAY 22 1998

Indianapolis Division 6964 Hillsdale Ct. Indianapolis, IN 46250

Tel: (317) 842-4261 Fax: (317) 842-4286

ANALYTICAL REPORT

Mr. Richard Tyler MILBANK MANUFACTORING INC 1400 E. HAVENS ST. KOKOMO, IN 56901-3188

05/19/1998

NET Job Number: 98.

98.03218

Page 1 of 3

Enclosed are the Analytical Results for the following samples submitted to NET, Inc. Indianapolis Division for analysis:

Project Description: TWICE WEEKLY WASTEWATER

Sample Number Sample Description Date Taken Received 207404 OUTFALL 001 05/12/1998 05/12/1998

National Environmental Testing, Inc. certifies that the analytical results contained herein apply only to the specific samples analyzed.

Reproduction of this analytical report is permitted only in its entirety.

Project Representative

Lan Barrers

MAY 22 1998

Indianapolis Division 6964 Hillsdale Ct. Indianapolis, IN 46250

Tel: (317) 842-4261 Fax: (317) 842-4286

ANALYTICAL REPORT

Mr. Richard Tyler

MILBANK MANUFACTORING INC

1400 E. HAVENS ST.

KOKOMO, IN 56901-3188

05/19/1998

Job No.: 98.03218

Page 2 of 3

Date Received: 05/12/1998

Job Description: TWICE WEEKLY WASTEWATER

Sample Number	/ Sample I.D.	Result	nl	Sample Date/	Analyst &		Reporting
Parameters		Result	Flaq	Units	Date Analyzed	Method	Limit
207404	OUTFALL 001			05/12/1998			
Iron, ICP		<0.10		mg/L	tjg / 05/15/1998	E-200.7	<0.10
Lead, ICP		<0.080		mg/L	tjg / 05/15/1998	E-200.7	<0.080
Silver, ICP		<0.020		mg/L	tjg / 05/15/1998	E-200.7	<0.020
Zinc, ICP		0.92		mg/L	tjg / 05/15/1998	E-200.7	<0.020



MAY 22 1998

Indianapolis Division 6964 Hillsdale Ct. Indianapolis, IN 46250

Tel: (317) 842-4261 Fax: (317) 842-4286

FIELD REPORT

JOB #: 98.03218

CLIENT: MILBANK MFG.

PROJECT: TWICE WEEKLY WASTEWATER

DATE: 5/12/98 **SAMPLER(S):** MTM

An ISCO model 6700 auto sampler was used in the composite mode of operation. The sampler was equipped with a plastic composite jug, tygon suction line, battery, ice, and strainer.

All reusable equipment is decontaminated with alconox, tap water, 5% nitric acid, and deionized water. New tygon suction tubing was used for the sampler. A stainless steel strainer was also used for the sampling event.

The sampler was set to take a sample every 30 minutes for 24 hours.

Monitoring start 08:00 on 5/11/98 Monitoring end 08:00 on 5/12/98

The composite sample was slightly cloudy, few suspended particles.

Notes: Samples were preserved, in the field, in the appropriate containers with any required preservative.



RELINQUISHED BY:

METHOD OF SHIPMENT

DATE

5/12/98

TIME

16:00

RECEIVED BY:

REMARKS:

N		NATIONAL ENVIRONMENTA TESTING, INC.	CH COME ADDR PHON PROJI PROJI	ESS E ECT N	/\/\/\/\/\/\/\/\/\/\/\/\/\/\/\/\/\/\/\	1163 00 1/LOC BER_	ANIC E.	HA	MF VEN	6. 15 CE	ST.) IEEK	Ko FA	W103	.o, I	N	MAY	22	1998	8	P.O. NO
(PRINT NA	hael AME)	Meger	Muha SIGNATURE	uf)	Me	70	#	and Ty	ype of		Fr. Dh.		REPORT		ANAL	YSES					To assist us in selecting the proper method Is this work being conducted for regulatory compliance monitoring? Yes No Is this work being conducted for regulatory enforcement action? Yes No
DATE / 998	TIME 5/12	SAMPLE ID/DESCRIPTION	N	S MATRIX	GRAB		T_	T	Γ	ОТНЕВ	X METALS:	X 60 70	X FIEND RE								Which regulations apply: RCRA NPDES Wastewater UST Drinking Water Other None
		F SAMPLE: BOTTLES INTACT? FIELD FILTERED?	AMPLE REMAI			CLIE	VOLA	ATILE	SF	REE	OF F	AND	INTA SPAC	CT?	XES/	NO NO				Bott	MPERATURE UPON RECEIPT: 1,3°c. les supplied by NET? (E) / NO

RELINQUISHED BY: